




Sociedad Española
de Reumatología -
Colegio Mexicano
de Reumatología

Reumatología Clínica

www.reumatologiaclinica.org



Images in Clinical Rheumatology

Synovial Osteochondromatosis of the Shoulder: Case Report and Literature Review[☆]



Osteocondromatosis sinovial de hombro. Reporte de un caso y revisión de la literatura

José Francisco Díaz Fernández,^{a,b,*} Roberto Alejandro Peraza Mc Liberty^a

^a Hospital Regional de Alta Especialidad de la Península de Yucatán, Mérida, Mexico

^b Departamento de Imagenología y Rayos X, Hospital General Agustín O'Horan, Mérida, Mexico

ARTICLE INFO

Article history:

Received 25 March 2016

Accepted 28 July 2016

Available online 21 September 2017

Introduction

Synovial osteochondromatosis was described in 1833 by Laennec.¹ Its worldwide incidence is reported to be 1:100,000² and it is found in a greater number of men than women. The joint most

frequently affected is the knee.³ The clinical signs are nonspecific and the diagnosis requires imaging techniques.⁴ The treatment at the present time is surgical and consists of resection of the chondral bodies.^{5,6}




Fig. 1. Radiographs of the shoulder in true anteroposterior (AP), external rotation (ER) and internal rotation (IR) positions revealed the presence of multiple calcified bodies of the same size, distributed throughout the entire glenohumeral joint, as well as the subscapularis recess and the bicipital groove.

[☆] Please cite this article as: Díaz Fernández JF, Peraza Mc Liberty RA. Osteocondromatosis sinovial de hombro. Reporte de un caso y revisión de la literatura. Reumatol Clin. 2018;14:56–58.

* Corresponding author.

E-mail address: franzizcodyaz@hotmail.com (J.F. Díaz Fernández).



Fig. 2. Magnetic resonance imaging was employed to acquire turbo spin echo diffusion weighted (DW) sequences with fat saturation that effectively demonstrated the anatomy of the shoulder joint and the presence of loose bodies previously identified in radiographs and ultrasound images. They had a characteristic behavior, with areas of lower signal intensity in the center than in the periphery, because of the calcification of the chondral bodies.



Fig. 3. Chondral bodies were excised during an open surgical procedure. The histopathological diagnosis was synovial chondromatosis.

Case Report

The patient was a 29-year-old woman who had a 4-year history of pain in right shoulder, associated with limitation of vertical abduction and characterized by an indolent course. When she visited her physician, she had detected another pain in the anterior region of her shoulder. She underwent imaging studies (Figs. 1 and 2), and the diagnosis was synovial osteochondromatosis.

Arthroscopic resection enabled the removal of chondral fragments, which were sent to the pathology laboratory for analysis. The result was a histopathological diagnosis of synovial chondromatosis (Fig. 3). The patient's postoperative course was satisfactory, and the pain disappeared.

Discussion

The findings observed (loose chondral bodies, joint effusion and generalized inflammatory changes) are compatible with reports in the literature, although, in this case, the patient was a woman.³

Ethical Disclosures

Protection of human and animal subjects. The authors declare that the procedures followed were in accordance with the regulations of the relevant clinical research ethics committee and with those of the Code of Ethics of the World Medical Association (Declaration of Helsinki).

Confidentiality of data. The authors declare that they have followed the protocols of their work center on the publication of patient data.

Right to privacy and informed consent. The authors have obtained the written informed consent of the patients or subjects mentioned in the article. The corresponding author is in possession of this document.

Conflicts of Interest

The authors declare they have no conflicts of interest.

References

1. Ober WB. Tumors and tumorous conditions of the bones and joints. *Yale J Biol Med.* 1959;31:252–3.
2. McKenzie G, Raby N, Ritchie D. A pictorial review of primary synovial osteochondromatosis. *Eur Radiol.* 2008;18:2662–9.
3. Fuller E. Case of the month #166: synovial chondromatosis of the temporal mandibular joint. *Can Assoc Radiol J.* 2016;62:151–3.
4. Brower AC, Flemming DJ. Reactive arthritis. In: Brower AC, Flemming DJ, Bernard S, editors. *Arthritis in black and white.* Philadelphia: WB Saunders; 2012. p. 215–25.
5. Milgram JW. The development of loose bodies in human joints. *Clin Orthop Relat Res.* 1977;124:292–303.
6. Sheldon PJ, Forrester DM, Leach TJ. Imaging of intraarticular masses. *Radiographics.* 2005;25:105–19.