

Image in cardiology

# Effects of Excimer Laser Coronary Atherectomy Assessed by OCT



## Efectos de la aterectomía con láser valorados con OCT

Daniele Gemma,\* Guillermo Galeote García, and Ángel Sánchez-Recalde

Unidad de Hemodinámica y Cardiología Intervencionista, Hospital Universitario La Paz, Madrid, Spain




Figure 1.




Figure 2.

A 61-year-old man presenting with effort angina refractory to treatment underwent coronary angiography demonstrating a severely calcified obstructive lesion in the mid-segment of the left anterior descending artery (Figure 1A). Optical coherence tomography (OCT) detected severe circumferential calcification (Figure 1A, asterisks), with a calcium nodule protruding into the lumen (Figure 1A, arrow, and video 1 of the supplementary material) and a minimal luminal area of 2.4 mm<sup>2</sup>.

Due to the severe calcification, excimer laser coronary atherectomy (ELCA) was undertaken. With a 1.4 mm ELCA catheter (Spectranetics, Colorado Springs, Colorado, United States) using an energy of 60 mJ/mm<sup>2</sup> at a pulse repetition rate of 40 Hz, we delivered approximately 4000 pulses over 10 runs. The OCT post-ELCA showed calcium fracture and multiple dissection planes, extending deeply into calcified plaque, with irregular intraluminal interface and an increase in minimal luminal area (3.4 mm<sup>2</sup>) (Figure 1B arrows and video 2 of the supplementary material).

Following predilatation with a 3.5-mm noncompliant balloon, a drug eluting stent (3.5 x 20 mm Xience, Abbot Vascular) was implanted, with good angiographic result (Figure 2A). Optical coherence tomography showed good expansion and apposition, with a minimal prolapse of calcified plaque towards vessel lumen (Figure 2B, asterisks).

This case shows the effect of ELCA on coronary calcified plaques assessed by OCT, and its utility in modifying the plaque and facilitating stent expansion.

### CONFLICTS OF INTEREST

A. Sánchez-Recalde is Associate Editor of *Revista Española de Cardiología*.

### SUPPLEMENTARY MATERIAL



Supplementary material associated with this article can be found in the online version available at [doi:10.1016/j.rec.2016.02.025](https://doi.org/10.1016/j.rec.2016.02.025).

\* Corresponding author:  
E-mail address: [daniele.gemma@hotmail.com](mailto:daniele.gemma@hotmail.com) (D. Gemma).  
Available online 3 June 2016